

Intellicus Enterprise Reporting and BI Platform



©Intellicus Technologies info@intellicus.com www.intellicus.com

Copyright © 2011 Intellicus Technologies

This document and its content is copyrighted material of Intellicus Technologies. The content may not be copied or derived from, through any means, in parts or in whole, without a prior written permission from Intellicus Technologies. All other product names are believed to be registered trademarks of the respective companies.

Dated: - December 2011.

Acknowledgements

Intellicus acknowledges using of third-party libraries to extend support to the functionalities that they provide.

For details, visit: <u>http://www.intellicus.com/acknowledgements.htm</u> .

Contents

R	unning Reports	4
	Locating the report	4
	Opening Report Listing page	5
	Navigating through the folders	6
	The report list	
	Run a report	9
	Adhoc Reports	
	Standard Reports	
	View (on-screen) in selected format Print on printer attached to your computer	
	Printing at Server	
	E-mail the report	
	Publish the report	17
	Upload the report	
	Cancel Request	
	In case of error Repeat request of report execution	
	Input Parameter form: Provide values for report parameters	
	Select tab	
	Sort tab	
	Specifying value for a parameter	
	Selecting value(s) from Tree View	24
	Report Scheduling (Quick Scheduling)	27
	Creating a schedule using Schedule Job page	27
	Viewing and working with schedules	33
	Published reports	36
	Steps to generate a link:	40
	Generate Entity Links	40
	Link Options	41
	Details of Saved Report	41
	Copy Resource URL	42
	My Reports page	44
	Recent Reports	44
	Pending Reports	
	Report Execution Status	46

Running Reports

Reports are available in multi-level folder structure. You can locate the desired report in multiple ways and run it.

Locating the report

Reports are available in multi-level folder structure. To locate a report, you need to navigate to the folder.

Click **Navigation** > **Reports** > **Categories**. It will open list of categories at highest level (root). From here you can further navigate to the desired folder.



Figure 1: Getting a list of categories from Navigation menu

Click **Reports**. It will open a list of categories at highest level (root). From here you can further navigate to the desired folder.



Figure 2: Getting a list of categories from Reports menu

Click **Favorites**. It will open list of objects (including folders and reports which you have added in your Favorites list). From here you can further navigate to the desired folder.




Figure 3: Getting a list of 'Favorite' folders

Click **Repository**. It will open list of Objects including folders available at root level. From here you can further navigate to the desired folder.



Figure 4: Getting a list of categories from Repository menu

Opening Report Listing page

Using any of the method provided above, navigate to the desired folder and click

button to close the menu and open **Report Listing** page, listing reports in that folder.

Report	Listing					
🗢 (Root)	/ Demo / Purch	nase / Material				
2	88					
***	• 😤 🔍	$ \square \bigcirc \square \square \bigcirc \bigcirc $				
Sr.No.	Туре	Name Value I	Owner	Query Object	Last Modified Date	Location
1	۰ 撞	Material report August 2011	Intellica/Admin	OrderDetail	9/8/11 5:02 PM	Demo/Purchase/Material

Figure 5: Report Listing page

This page displays reports (Adhoc reports, standard report and linked reports). You can view list of reports under selected category and take actions on a selected report. The complete path where report resides is shown in Report Listing.

Icon	Туре	Availability
	Standard Report	Public
	Adhoc report	Public
	Standard report	Private
	Adhoc report	Private
	Linked standard report	Public
	Linked adhoc report	Public
	Linked standard report	Private
	Linked adhoc report	Private

Private reports and linked private reports are available only to the user who has created it.

Navigating through the folders

- To open folder list: Click ^O icon.
- To close folder list: Click 오 icon.
- **To open a sub-folder:** When folder list is open, double-click respective folder icon.
- To Return to parent folder: Click 🖄 icon.

The report list

Hide and show the report description

Report description is hidden by default. Click \mathbb{I} to open up description of all the reports. Click \mathbb{I} to close description of all the reports.

Hide and show list headers

Report headers are displayed by default. Click ^{***} to hide the headers. Click ^{***} to show the headers.

You can add or remove columns in the list. You can sort the list. Refer to online help for more information on this.

Selecting the report and performing report operations

To initiate a task, select a report by clicking option button in corresponding row and then click the tool-button from toolbar.

Toolbar's availability depends on configuration. If toolbar is not available, it will be displayed when you select a report by clicking the option button. To select and initiate an action, point and click the mouse pointer on the corresponding toolbar icon.

The toolbar can be moved, if it is configured to do so. To move the toolbar anywhere on report list, click on the center of the toolbar header and drag.

To close the toolbar, **Close** button on top right of the bar.

Creating a new report

Click 🏙 icon to open Adhoc Report Wizard from this page.



Note: If you choose to create an adhoc report from within this page, you will need to save the report in this folder / category only.

At the time of report deployment, default values for report attributes, like output format, database, etc are set. To run the report using these default preferences,

click **View report in its default configured format** ² . If the report has user parameters, **Input Parameter Form** page will open where you need to provide the parameter values.

If the report you are executing is expected to take longer to generate (may be due to large volume of data), or you want to carry on with another activity

immediately after starting the report execution, click **Run in Background** . Report will be executed and output will be generated in the default format (set at the time of report deployment). If the report has user parameters, **Input Parameter Form** page will open where you need to provide the parameter values. You will be navigated to **Report Execution Page**, where execution status of the report will be displayed.

Click **Run** when you want to execute a report with preferences other than those set during report deployment (for example, report format).

When you need to re-run a report having multiple parameters, click Re Run

(available if configured). This opens **Input Parameter Form** with values provided during previous run. You can change the values if desired. When Re Run is clicked to run the report for the first time, it works like Run.

A report can be generated and saved (published) on server (for private viewing

or public viewing). Click **List Published Output** to view the list of published outputs of this report. The list page also displays the user name who generated (published) the report, time and expiry time of the report. From this page, you can view report output as well as user comments on the report.

If you want to auto-execute this report at a specific date and time, click

Schedule . If schedule is not set for the report, Schedule Job page opens where you can create a new schedule job for the report.

If selected report is an adhoc report, you can click **Customize this report** to open and edit it on **Adhoc Wizard**.

To delete selected report, click **Delete** X (available if configured).

Run a report

You can run a report (standard report as well as adhoc report) by clicking 🐲 button from

- **Report List** page
- Search page

On this page you can:

- Select delivery options
- Provide view options (optional)
- Set database connection (optional)

Adhoc Reports

When you click button of any of the Adhoc reports on **Report List** page **Run Adhoc Report** page will appear.

Run Adh	ioc Report								()
Demo An I	Interactive Produ	uct Sales Summary	y - Chart and Grid	d					I
Run P	Preview	Run in Backgrour	nd	Template	e Ocean	*	Report Format IHTML	~	View Options
Selection	ect Filter Criteria						View Options		×
Max. R	Rows	Suppress Duplica	ites 🔲				Multipage Download Zipped		
	Field		Criteria	Valu	.ie		Downood Lipped		
\pm \times	Product Type	~	Is	~					
\pm \times		*		~					
\pm ×		*		*					
									Ok Cancel

Figure 6: Run Adhoc Report page

Specify filter criteria on this page and click **Run** button. Now, if the report needs runtime user parameters, Parameter Input Form will appear.

- **Template:** Select a template to be applied on the report being designed.
- **Report Format:** Select the output format in which report is required.
- **Refresh Data:** Select (check) this checkbox when you want to run the report with latest data.

View Options

You can select View options for the selected report format.




Figure 7: View Options (Adhoc Reports)

- 1. Click View Options link.
- 2. In **View Options** dialog, select options for the selected output type.
- 3. Click **OK** to proceed.



Note: More information about View options is available in Export Options chapter.



Note: For instructions on how to specify Filter criteria, refer to chapter **Adhoc Report Designer**, Topic **Selecting Filter Criteria**.

Run time parameters for Adhoc report

	Run Now 💌 Reset (Select Form) 🔽 🥑 🗙
Select	
Mandatory	
2 Enter Year for Comparison* (4/30 Entered)	2 Enter Year to Compare With* (4/30 Entered)
2003	2004
	Run Now 🔻 Reset 🗌 Save Form As

Figure 8: Report Parameters (run time parameter input form)

This page will appear if run time filter parameters (run time parameters) were set for this report.

Select report parameters and click **Run Now** or **Run in Background** to proceed.

If the report does not have run time parameters, Report Parameter form will not appear.

rodList - Microsof				<u> </u>		Ma dia la sa			E.C.		
	CEU (20)	1 🖭 🕼 🗐	3	Y 😡	<u>⊠</u> 🖉	≪₽ ≪ 1/2	••	1	1		ľ
Prod	List	t									
Group By : PR		-									
Prod	No Pr	rod Type		Prod I	Line		Product			Sales 92	
Audio Systems											
*	**03 Au	udio Systems		VCD P			RF cable				
*	**02 Au	udio Systems		VCD P			Video cable				
*	**01 Au	udio Systems		VCD P			Remote con	trol			
		udio Systems		MP3 p1			iRiver H320				
*	**01 Au	udio Systems		MP3 p1			Gmini XS200				
*	**00 Au	udio Systems		MP3 p1			MP3 Photo 3	Jukebox			
Home Accessor	ies										
*	**01 Ho	ome Accessories		Water I	Purifiers		Pocket Wat	er Filter			
*	**00 Ho	ome Accessories		Water I	Purifiers		Pro-Lite Wat	er Filter:			
*	**02 Ho	ome Accessories		Sunbloo	:k		Sun Shelter-	30			
*	**01 Ho	ome Accessories		Sunbloo	:k		Sun Shelter-	15			
*	**00 Ho	ome Accessories		Sunbloo	:k		Sun Shelter-	8			
*	**02 Ho	ome Accessories		Bio-Frie	ndly Soap	s	RiverKind De	tergent			

Figure 9: Viewing an adhoc report in a separate window

Standard Reports

When you click icon of a standard report, **Report Delivery Options** page opens up.





Figure 10: Report Delivery Options page

From this page, you can view report on-screen in selected output format, print it locally or on printer attached to the Server as well as Email, Publish or Upload a report.

When a report is executed, application can cache its data so that next time when the report is executed with same parameters, it can run with cached data. This method improves performance. If Data caching feature is turned on, **Refresh Data** checkbox will be displayed. Uncheck the checkbox to use cached data (if cached) to run the report. Check the checkbox to get the data from database server and run the report.

To get report data, a report connects to the default database. If desired, you can connect to any of the database connections accessible to you by selecting it from **Select Connection** dropdown box under **Connect To** area.

Note: If selected connection needs user credentials at run time, **User Name** and **Password** entry boxes will appear. Specify user name and password required to connect with selected database and click the **Test** button. If the connection is established successfully, **Connection Test Succeeded** message will appear.



View (on-screen) in selected format

You can view a report in any of the following formats:

- JVISTA: To view output in Intellicus' own report viewer.
- **ACROBAT PDF:** To get output in Adobe PDF format.
- MS EXCEL: To get output as an MS Excel file.
- **HTML:** Web page (HTML format).
- **MS WORD:** To get output as an MS Word file.
- **TEXT:** To get output as a text file.

- **COMMA SEPARATED:** Delimiter (Generally comma) separated file.
- XML: Output as an XML file.
- RAW TEXT: Comma separated file having only headers and data values just as received from database.
 - View Options:
 - Separator: Select the type of separator to be used. Select a predefined, or select Custom and specify a separator character.
 - Enclosure: Select enclosure character, if required. Select a predefined or select Custom and specify an enclosure character.
 - Pagination: Only Single Page option is available.
 - Download Zipped: Select this option to download the report in zipped format.

	2	XML			
		RAW TEXT			
	RUN IN BA	ACKGROUND	S	VIEW NOW	P
🔽 Refresh Data					
 View Options 					
Separator					
Predefined COMMA	\bigcirc	Custom			
Enclosure					
Predefined QUOTES(" ")	\bigcirc	Custom			
Pagination Single Page					
Download Zipped					

Figure 12: Raw Data has View Options



Note: Some of the report formats will need the workstation to have respective Viewers. For example, PDF format needs Adobe Reader.

Important: You can't export a report in RAW TEXT format. Report in JVISTA and HTML output formats will open in browser. For other output types, you need viewer applications to open and view reports in corresponding formats.

Depending on the selected output type, you can select View Options for the report. For example, to zip the file before publish, ignoring page breaks, options specific to CSV or MS Excel output, etc. Refer to online help for details on View options.

View Options
Pagination MultiSheet 💽
🔽 Remove Blank Rows,Columns
🗖 Repeat Page Header and Footer
🗹 Download Zipped

Figure 13: View Options for View as MS Excel file

Click **VIEW NOW** to run the report and view report output immediately. If the report has huge data-volume, it may take some time to generate entire report. If this is the case, click **RUN IN BACKGROUND** to start report-execution and continue working with the application without having to wait until entire report is generated. Report execution will continue in the background and you will be redirected to Report Execution Status page. It displays execution status of all the reports that were RUN IN BACKGROUND.

> **Note:** RUN IN BACKGROUND is not available in JVISTA. RAW TEXT report is made available as a file having .csv.zip extension. It needs to be decompressed using an application with which .zip file type is associated.

If you click **Run in Background**, **Report Execution Status** page appears. On this page, you can click **Refresh** to view status of the report being executed in background.



Note: Instructions to view a report run in background is provided later in the chapter.

Print on printer attached to your computer

From **Report Delivery Options** page, you may prefer to print the report on the printer attached to your computer.



Figure 14: Printing a report locally

Options available are:

Print: To get Print dialog to select printer followed by printing. The dialog box will have printers installed on the workstation you are using to access this page.

Print Direct: To make use of default print settings on the workstation and go ahead with printing.

To print a report,

- 1. On Report Delivery Options page, click anywhere on PRINT LOCALLY.
- 2. If you want to run the report using a specific connection, select the connection from **Run on Database** dropdown box.
- 3. Click the print preferences (**PRINT** or **PRINT DIRECT**).

The report gets printed as per options set.

Printing at Server

From **Report Delivery Options** page the report can be printed to a printer attached to the machine where Intellicus Report Server is running.

VIEW PRINT LOCALLY	Printer Name Microsoft XPS Do 🗸 P	rinter Setting >> None
PRINT AT SERVER	Page Range	Number of copies 1
🖂 E-MAIL	O AII	
PUBLISH	O Pages	
UPLOAD	Paper Source Default Tra	у 💌
	PRINT IN BACKGROUND	PRINT NOW

Figure 15: Printing report at server

Click the **Print Setting**. A small window opens, listing the print settings related to printers installed on the machine, where the Report Server is running. Select the setting you want to use. Other information is filled in based on the settings done by the administrator. However you can change the information.

Printer Name: Select the printer name on which the report should be printed.

Page Range: Select All to print all the pages. Specify page number(s) in Pages separated by comma to print selected pages.

Number of Copies: Specify the number of copies for the report. Specify Collate preference.

Paper Source: Specify the tray preferences.

Include comments: Effective if report being printed on server has to undergo approval process. Select this checkbox to print approval comments along with report as tail pages.



Note: Status of a report executed in background can be viewed on My Reports page.

E-mail the report

A report can be mailed as an attachment or a link. Under **Send Report As**, select *Attachment* to send report as an attachment with the mail. If the report is very heavy or attachments are filtered by recipient's mail server, you may select *Link*. In this method, report is generated and saved on report server at specified location. When recipient clicks the link in the mail, report opens up.

Depending on the selected output type, you can select **Email Options** for the report. For example, to zip the file before attaching it with the mail, ignoring page breaks, options specific to CSV or MS Excel output, etc. Refer to online help for more details about the options.

Print Locally Print Locally Print at server E-Mail PUBLISH UPLOAD	Send Report As Link Email Options Pagination Horizontal Breaks Download Zipped	
	Save In: Demo	98 - ,
	To WestSalesHead@)fmcgmak.com
	Cc vp@fmcgmak.com	<u>^</u>
	Subject Sales charts - Jan	2010
		You have received this automated email to let you %MENU_NAME%> has been generated.Please
	EMAIL IN BACKGROUND	EMAIL NOW

Figure 16: Selecting Email as report delivery option

While sending report as a link, you also need to specify file name and location where report will be saved. Reports are saved inside a folder. **Save In**, click

to open object selector and navigate to the desired folder.

Object Selector's features like multiple views, filtering and sorting makes it easier and quicker to locate the desired folder. Refer to the online help for more information on Object Selector window.

Default message text set by your application administrator is displayed in **Message** box, which you can change if desired. You can include user parameters as well as system parameters in the message text. For example, if the report you are mailing has a parameter "ReportDate", then you can insert it as <%ReportDate%> in your message text, which will be replaced by report execution date at run time.

To mail the report and view the result (like success or failure), click **EMAIL NOW**. You will be redirected to **Report Status** page, which will display the status message. Click **Email in Background** to start the process and continue working with the application without having to wait till the operation is complete. The operation will continue in background and you will be redirected to **Report Execution Status** page. This page displays execution status of all the reports executed in background.

Publish the report

When you publish a report, its output is generated and saved which can be opened and viewed in the future. Next time you open the output, you get a faster response because time taken in generating the report is saved.

You can view a published report output from All Published page as well as from Report List page for the selected category.

Image: symbolic constraint of the symbolic constraint of the symbol constraint of the symb	Save In: Demo Tex File Name: SalesChart-Jan2010 Expires on: 1/28/10 06:00 PM (Blank date stands for never expires) Report Format: HTML Publish Options Pagination Horizontal Breaks ✓
	Public Private PUBLISH IN BACKGROUND PUBLISH NOW

Figure 17: Publishing a report

Save In, you can save the published report in the category/folder from where you can access it later. Click to open object selector and navigate to the desired folder.

If the working folder is set in user's preferences (Personalization > My Preferences) then the name of the category set in preferences would be displayed while publishing a report under **Save In.** If the folder is not specified in the preferences, the publish report would be saved in the category in which the report resides.

Example: There are two categories, Demo and Sales. Sales is set as my working folder from Personalization > My Preferences. I select a report and publish it. The report will be published in Sales Category.

If nothing is set as working folder then the publish report will be saved in the category from which the report is picked for publishing.

Example: There are two categories, Demo and Sales. Nothing is set as my working folder from Personalization > My Preferences. I select a report from Demo category and publish it. The report will be published in Demo Category.

If you want to select a category in which a report should be saved then, click to open object selector and navigate to the folder in which you want to save the report. Object Selector's features like multiple views, filtering and sorting makes it easier and quicker to find the desired folder. Refer to online help to know more about Object Selector window.

Though not mandatory, it is always good to specify a unique **File Name** for the published report i.e. you can publish a report with the same name however, it is suggested to publish a report with a unique name. If the file name is kept blank then the report will be published without any name.

O Demo						
Sr.No.	File Name	Generated By	Status	Generated Time	Expiry Time	Pending Operations
1	0	🔊 Intellica/Admin	RECENT	9/23/11 3:11 PM	Never	
2	 Sales Chart 	🔊 Intellica/Admin		9/23/11 3:11 PM	Never	
3	 Sales Chart 	🔊 Intellica/Admin		9/23/11 3:10 PM	Never	
4	 Sales Chart 	🔊 Intellica/Admin		9/23/11 3:07 PM	Never	
5	 Sales Chart 	👔 Intellica/Admin		9/23/11 3:05 PM	Never	
6	0	🔊 Intellica/Admin		9/23/11 3:05 PM	Never	

Figure 18: Published report with repeated names and no name at all

Depending on the selected output type, you can select **Publish Options** for the report. For example, to zip the file before publish, ignoring page breaks, options specific to CSV or MS Excel output, etc. Refer to online help for more details about the options.

You can keep the published report output accessible to yourself (select **Private**) or make it available for all (select **Public**).

If the report-data will not be valid forever, application can delete the published report on date and time you specify. **In Expires** on, set date and time after which the report should be deleted. If the report is valid forever or you would delete it manually, keep **Expires on** blank.

Important: A published report is stored on Report Server. It is recommended that you specify an expiry date. Deletion of the expired reports will free up the server space.

An expired report cannot be retrieved back. You may backup the reports to keep the output. This will make sure you have the data with you at the same time server space doesn't remain occupied for a report output.

You can publish a report in any of the available Report formats. Publishing a report in desired format will save time (of selecting report format) when it is viewed. Even if you publish the report in a selected format, you can view it in other formats, if needed. Select an output format from **Report Format** dropdown.

Note: A report published in RAW TEXT will not be available for view in any of the other formats.

To publish the report and view the result (like success or failure), click **PUBLISH NOW**. You will be redirected to **Report Status** page, which will display the status message. Click **PUBLISH IN BACKGROUND** to start the process and continue working with the application without having to wait till the operation is complete. The operation will continue in background and you will be redirected to **Report Execution Status** page. It displays execution status of all the reports executed in background.

Important: When a report is published, its output is stored on Intellicus Report Server. When a published report is requested from Published reports list, the respective output is displayed. Because a published report does not have the latest data, the information on a published report, may be old.

A report may be associated with workflow (approval process). When such a report is published, it would be available to you on **Saved Reports List** page if you were an approver. If you are not an approver, such a report will be available to you on Saved Reports List page only after approved by an approver.

Upload the report

Use this delivery option to generate the report in desired output format and upload it to an FTP server or a shared network location.

Report output will be generated in the selected **Report Format** and **Upload Options**. If desired, change the report format.

Depending on the selected output type, you can select Upload Options for the report. For example, to zip the file before publish, ignoring page breaks, options specific to CSV or MS Excel output, etc. Refer to online help for more details about the options.

Uploading the report on FTP Server

This is the desired option to upload the report on your web site and make it available to web site visitors.

In **Upload Type**, select *FTP* option.

To upload report on a secure FTP server, check **Secure** checkbox. Intellicus uses Secure Shell Protocol (SSH) protocol (TCP port 22) to provide secure file transfer. When you do this, **Use PASV mode** checkbox will be unchecked and disabled.

Most of the FTP Servers use Passive mode. Uncheck **Use PASV mode** if you are sure that the FTP server does not use Passive mode.

 ✓ VIEW ✓ PRINT LOCALLY ✓ PRINT AT SERVER ✓ E-MAIL ✓ PUBLISH 	Report Format HTML Upload Options Pagination Horizontal Breaks Upload Zipped
UPLOAD	
	Upload Type FTP Shared Folder Use PASV mode Server Name User Name Folder Name File Name*
	UPLOAD IN BACKGROUND 👔 UPLOAD NOW 👌

Figure 19: Uploading a report output to FTP server

Server Name, where to FTP and File Name for the uploaded file is mandatory information you need to provide. You may specify server name as URL (for example, coname.servername.com) or as IP address (for example, 290.340.1.98).

Specify **Port** value if the server listens to a port other than universal port (21). If you are sure that the **FTP** server needs user authentication, specify User **Name** and **Password** to login.

Specify **Folder Name**, to upload the file in a folder other than root. For example, /reports/hr/branch01.

Saving in a shared folder

Use this option to save the report in a shared folder on a network location. Users can open that folder and view the report output stored in that folder.

In **Upload Type**, select *Shared Folder* option.

In **Folder Name**, specify the network path in UNC format(\\computername\folder) where the report should be placed.

In File Name, specify the name for the report file. This is a mandatory field.

In both of the above, you have option to **UPLOAD NOW** or **UPLOAD IN BACKGROUND**.

To upload the report and view the result (like success or failure), click **UPLOAD NOW**. You will be redirected to a Report Status page, which will display the status message. Click **UPLOAD IN BACKGROUND** to start the process and continue working with the application without having to wait till the operation is complete. The operation will continue in background and you will be redirected to **Report Execution Status** page. It displays execution status of all the reports executed in background.

Cancel Request

When report execution starts, "Loading, Please Wait" message appears on portal page.



Figure 20: Cancel Report

Click **Cancel Request** hyperlink to cancel the report execution.

In case of error

In case the requested operation is not completed, Intellicus displays error page.

Error page is designed to contain the entire sequence of the errors that resulted in the final error.

Error Description				
Error Number	Description			
<u>30130</u>	Failed to send user input parameters for the report Details			
	() Error Details			
	Number Description			
			Table not found in statement [Select Distinct country from country]	
		3	Could not run SQL query:Select Distinct country from country where flag is not null	
		3	Could not run SQL query:Select Distinct country from country where flag is not null	
		00500	e i ut ricco e i	
		Click on E	rror Number for analysis	

Figure 21: Error page having hyperlinked error numbers

Click the error number to get more information and resolution.



Note: Which page will open when you click the error number, will also depend on configuration. Depending on configuration, the error number may not appear as a hyperlink. Please contact your application administrator for more information.

Repeat request of report execution

Repeat request comes into picture when:

- Execution of a report is currently under process, and
- You have again requested execution of that report with same operational and (if there any) user parameters.

Depending on application configuration any of the following may happen:

- 1. Execution continues and another request is also processed.
- 2. Execution continues and another request is rejected.
- 3. Execution continues and you are prompted to (1) cancel currently running request and start executing new request, or (2) Cancel new request.

Input Parameter form: Provide values for report parameters

These are the values that are specified at run time. Parameters will appear here if a report needs user parameters. You need to select parameters. If a report does not need user parameters, this area will remain blank.

 Report Parameters 	
Report Name : All Country Sales Prompt	
	Run Report Reset (Select Form) 💽 🔊 🗙
Select	
Mandatory	
Choose the Product Type:* (3/3 selected) All 🗸 Audio Systems Home Accessories Mobile Devices	Choose the Product Line:* (0/11 selected) All Alert Devices Bio-Friendly Soaps CellPhone Charger Cover
	Cover EarPhone MP3 p1 Recycled Products
Choose a Country:* (0/26 selected) All 🗖	
Australia Belgium Brazil Canada Chile China Denmark France	
	Run Report Reset Save Form As

Figure 22: Input Parameter form

Select tab

On this tab you specify values for parameters. A parameter may need only one value, while others may need multiple values.

- Mandatory Parameters: It is a must to provide values for such type of parameters in order to get the report output. Name of a mandatory parameter is suffixed by a * and are grouped in Mandatory heading.
- Optional Parameters: It is optional to provide values for such type of parameters. The report will run successfully even if you do not provide values for these parameters. Optional parameters are grouped under Optional heading.
- **Tree View of Parameter values:** Tree view (hierarchical view) of parameter values simplifies the process of selecting one or more parameter values.

Auto Refresh Nested Parameters: This is applicable for linked parameters. Select it to automatically refresh values of dependent parameters when value of source parameter is changed.

Push button: After making changes in the selection of the parameter, click this button refresh values of dependent parameters.

Refresh button: Click this button to refresh the values in this parameter based on possible changes in source parameters.

Description button: Click this button to view description of the parameter.

Sort tab

Use this tab to select the field by which the report should be sorted. A report can be sorted on ascending or descending order of the selected field.

Specifying value for a parameter

Specify value in the entry box. If it is a drop down box, use up and down arrows to make the values visible and click the value to select it.

Selecting multiple values for a parameter



Figure 23: Selecting multiple values

- 1. In **Available List**, select a value that you want to select. That value will be highlighted.
- 2. Click **up arrow** or **down arrow** to scroll to the value you want to select.
- 3. Press and hold **Ctrl** key on the keyboard and click value(s) that you want to select.

All the selected values will appear highlighted.

Selecting values using value groups

When value groups are created for a parameter, **Value Groups** box appears on the right of respective parameter box.

- 1. Click a value group to select all the values within that group.
- 2. To select multiple value groups, press and hold down **Ctrl** key and click mouse on respective group.

Selecting value(s) from Tree View

Selecting a single value

1. In **Available List**, click the value and click **Add Node to Selected List** button.

Selected node (value) will be placed under Selected List.

Selecting a complete branch or partial branch

This can be done for multiple value parameters. These parameters can take multiple values.

1. In **Available List**, click the topmost node of the branch and click **Add Node to Selected List** button.

Selected branch will be placed under **Selected list**.

Removing multiple values from different branches

- 1. In **Available List**, select a value that you want to select. That value will appear bold.
- 2. Press and hold **Ctrl** key on the keyboard and go on clicking the values that you want to select.
- 3. Click Add Node to Selected List button.

Selected values (along with the node structure) will be placed under **Selected** List.

Removing one or multiple values

- 1. From **Selected List**, select value(s) that you want to unselect.
- 2. Click Delete Node from Selected List button.

Selected values will be removed from **Selected List**.

Removing a branch

- 1. Click the Topmost node of the branch that you want to remove.
- 2. Click Delete Node from Selected List button.

Using Search button

- 1. Click **Search** button. **Search** dialog box appears.
- 2. Specify search preferences and click **Go**. Result tab appears in front having values that meet search criteria.
- 3. Select a value and click **Set**. The value will be set.
- 4. Click **OK** to close the dialog box.

Saving the form

You can save the information related to selected parameters on this form. After selecting the required parameter values,



Figure 24: Saving a parameter form having values

- 1. Click the check box appearing on the left of **Save Form as**.
- 2. Specify a name for the form.
- 3. Click **Run Report** button.

Loading a form

When you load a form, the parameters set at the time of saving the form appear selected.

Run Report	Reset	(Select Form)
		(Select Form) All Fields

Figure 25: Loading a form

- 1. Select the form from **Load Form** drop down box.
- 2. Click 🖄 button on the right of **Load Form** drop down box.

The form is refreshed with values selected. After loading the form click **Run Report** button to run the report.

Deleting a form

- 1. From **Load Form** drop down box, select name of the form to be deleted.
- 2. Click 🔀 button.

The selected form is deleted.

Report Scheduling (Quick Scheduling)

Intellicus offers a very comprehensive report scheduling mechanism. This feature is available for the users having specific access privileges. However, Quick Scheduling feature is available for all the users.

When you click

icon on **Report List** page, you may get:

- **Schedule Job:** This page appears when a schedule is not setup for the selected report.
- **Schedule Job List:** This page appears when one or more schedules are setup for the selected report.

Creating a schedule using Schedule Job page

This page appears when you click Schedule icon from Report List page (and there is no schedule setup) or click **Add** button on **Schedule Job List** page.

Schedule job for Demo Sales Summary	
Save Cancel Preview	
Job Details	
Name * Once_Demo Sales Summary_for_Admin	Delete on completion
Once	
Run report on date 1/28/10 💼 at 17 💌 : 00 💌 Time Zone	(GMT+5:30)Asia/Calcutta[GMT+05:30]
O Recurring	
Schedule starts at * 1/28/10 III Schedule ends at M/d/yy	iiii
Frequency Daily Weekly Monthly	
Every 1 Day(s) at hh - Time Zone	*
Delivery Operations	
Email Print Upload V Publish	Skip delivery on no data
Report Format MS EXCEL 🗸	
C Delivery Options)
Pagination Single Sheet 👻	
Remove Blank Rows,Columns	
Repeat Page Header and Footer	
✓ Deliver Zipped	

Figure 26: Scheduling a job using Quick Schedule feature

Job Details

• Name: Specify a unique name for the Job. Application automatically sets unique name in format: Job type_report name_for_User . For example: Monthly_All Country Sales_for_Admin.

Note: Once you have modified the name, system will not change it on its own.

- **Skip on no data:** If selected, report will be delivered to selected delivery options only if the report has any data. Otherwise schedule will be skipped.
- Delete on Completion: If selected, job will be deleted after execution for Run Now and Once. For Recurring, it will be deleted if further execution is not scheduled after last execution.

If you want to run this report only once as per set delivery options, select option **Once** and provide date and time.

Select the **Time Zone** as per which the time will be entered on this page. For example, if you select GMT, schedule job will be executed at specified time as per GMT. If time zone is not selected, job will be executed as per report server's time zone.

When a date or time is set which has already passed then an alert message is displayed with the message that past date or time cannot be set. If you have set time zone also, then it shall be calculated that the date or time still has to occur in the set time zone. This is done since it is possible that the time zone set has already crossed the date or time mentioned in the schedule.

Job Details		
Name * Once Customer Order for Admin		
 Once 		
Run report on date 9/5/11		at 03 💌 : 03 💌 Time Zone
O Recurring	Mess	age from webpage 🛛 🗙 –
Schedule starts at * 9/15/11		
Frequency 💿 Daily 🔿 Weekly 🔿		Schedule cannot be created for past date and/or time
Every 1 Day(s) at hh 🗸		
		ОК
Delivery Operations		

Figure 27: Schedule date or time

Example: System's date is 7th Sept' 2011 and time 11:00 AM (GMT+5:30 Asia/Calcutta (IST))

Condition1: The time zone is not specified. The schedule is created to run at 7th Sept at 11:10 AM. The schedule can be created.

Condition2: The time zone is not specified. The schedule is created to run at 7th Sept at 10:30 AM. An alert message will be displayed.

Condition3: The time zone is specified as (GMT-4 Atlantic/Bermuda(AST). The time when schedule will run in Bermuda is 7th Sept at 3:00 AM. Now, The

current time in Bermuda is 7th Sept' 01:30. Thus, the schedule will be created to run accordingly.

If the specified date or time in the selected time zone has already passed then the schedule cannot be created.

Select **Recurring** if you want to run this report more than once. When you select **Recurring** you need to specify following information:

Recurring	
Schedule starts at * 1/28/10 Schedule ends at M/d/yy	
Frequency O Daily O Weekly 💿 Monthly	
Last v day of Every 2nd v Month(s) at 23 v : 00 v Time Zone	*

Figure 28: Making Recurring (monthly) schedule

- **Schedule Starts at:** Specify the date on which recurrence of schedule should be started.
- Schedule ends at: Specify the last day of execution of schedule.

Condition1: If the start date and time is specified and the date or time has yet to pass and end date is not specified then the schedule can be created.

Condition2: If the end date is specified and yet to pass then the schedule can be created. This will be irrespective of the start date or time.

• **Frequency:** Select Daily, Weekly or Monthly based on the way you want to set recurrence frequency.

Delivery Options

This information deals with format and delivery of the report.

Selecting Report Format

When you select a report format, (after selecting any of the report delivery check boxes) **Delivery Options** area just below **Report Format** dropdown box will list properties related to selected report format. Set the options.



Note: More information on **Delivery Options** is available in **Export Options** chapter.



Important: You can specify more than one report delivery options. For example, Emails and publish options in conjunction.

E-mails

To send a report through an email, check **Email** checkbox.

In **Report Format**, select the required report format.

Depending on the selected output type, you can select **Delivery Options** for the report. For example, to zip the file before attaching it with the mail, ignoring page breaks, options specific to CSV or MS Excel output, etc. Refer to the online help for more details of the options.

Other details to be specified to email the report are available earlier in this document.

Print

Use this option to take printout of the report. Check the Print checkbox.

In **Report Format**, select the required report format. This will make sure you get exactly you have been viewing on screen in specific format.

In **Copies**, specify the number of copies to be printed.

In **Page Range**, specify the starting page and end page of the report to be printed. To print page 2 to 17, specify 2-17. If this is kept blank, all the pages will be printed. Select *All* to print all the pages.

Select **Printer Name** to be used to print the report. This dropdown box has all the printers installed on Report Server machine.

Delivery Operations	
Email V Print Upload V Publish	Skip delivery on no data
Report Format MS EXCEL	
Delivery Options	
Pagination Single Sheet 🗸	
Remove Blank Rows,Columns	
Repeat Page Header and Footer	
✓ Deliver Zipped	
Copies	
Page Range	
Printer Name Adobe PDF	

Figure 29: Print as report delivery option

Note: If a print setting is associated with the report, the details will be displayed here when you select the report and click **Go** button. *Raw Text* format is not available for Print.

Important: For selected report if print setting is *forceful*, you would not be able to edit the print parameters.

Upload

A report can be uploaded to an FTP server as well as stored at a shared location. To get print related operational parameters, click **Upload** link.

Other details to be specified to upload the report are available earlier in this document.

Getting parameter value

When a report is having multi-set parameters and their values come from an SQL, you can have parameter value as part of free form entry boxes:

- Server Name, Port
- User Name, Password
- Folder Name, File name

To include a parameter in a field, enclose the parameter name in <% and %> and specify in respective entry box.

For example, Sales<%CountryCode%>Jan2006. Here, CountryCode is a parameter name that will be replaced by its actual value when the report is executed.

Publish

A report can be published with a pre-set validity period. To set a report for Publish:

Check **Publish** checkbox.

You can publish a report in any of the available **Report Formats**. Publishing a report in desired format will save time (of selecting report format) when it is viewed. Even if you publish the report in a selected format, you can view it in other formats, if needed. Select an output format from **Report Format** dropdown.

Note: A report published in RAW TEXT will not be available for view in any of the other formats.

Delivery Operat	ions		
🗖 Email 🗖 Pri	nt 🗖 Upload 🔽 Publish		🔲 Skip delivery on no data
Report Format	COMMA SEPARATED 👤		
Delivery Optio	ons		
Separator			
• Predefined	COMMA 🗸	C Custom	
Enclosure			
• Predefined	QUOTES(" ") 💌	C Custom	
Pagination Sing	le Page 🗾 🔻		
	ed 🔲 Include comments		
File Name	Colorp - May 00	Suffix Timestamp Format MM-dd-yyy	10 •
The Marrie	SalesRepMay08		y <u> </u>
	💿 Public 🔍 Private		
Valid Upto			
c	1 Months	After Generation	
0	End of this Month	2	
0	Date 6/14/2008		
Figure 30: Pub	lishing a report	3	

Depending on the selected output type, you can select **Delivery Options** for the report. For example, to zip the file before publish, ignoring page breaks, options specific to CSV or MS Excel output, etc. Refer to the online help for more details about the options.

In **Save In**, click to open object selector to navigate and open the folder in which you want to save the report. Object Selector's features like multiple views, filtering and sorting makes it easier and quicker to find the desired folder. Refer to online help for more information on Object Selector window. To save the report in users working folder, check **User's Working Folder**.

Though not mandatory, it is always good to specify a unique **File Name** for the published report. To include date and time of report generation, select **Suffix Timestamp Format** checkbox and select a date format.

You can keep the published report output accessible to yourself (select **Private**) or make it available for all (select **Public**).

Validity Options

A published report is available as per its validity period. After the validity period is lapsed, the report is removed from the list.

You have the following validity options for report publishing:

1. For a specific time period after generation

Example: for 2 months, 3 weeks, 6 hours, etc.

Select this option and specify the number followed by selecting unit (hour(s), day(s), week(s), month(s) and year(s)).

2. Up to end of a duration from generation

Select this option to keep the report published up to the end of the duration (hour, day, week, month and year).

Example: At the end of this **week**, at the end of this **year**, etc.

3. Up to end of a specific time period

Select this option button to keep report published up to a specific date.

Example: July 30, 2008.



Note: Report will not be available after the period / time duration is over.

Important: A published report is stored on Report Server. It is recommended that you specify and expiry date. Deletion of the expired reports will free up the server space.

An expired report cannot be retrieved back. You may backup the reports to keep the output. This will make sure you have the data with you at the same time server space is not remain occupied for a report output.

Getting parameter value in fields (on E-mail, Publish and Upload)

You can set parameter value as part of value in free form entry boxes.

To include a parameter in a field, enclose the parameter name in <% and %> and specify in respective entry box.

For example, Sales<%CountryCode%>Jan2006. Here, CountryCode is a parameter name that will be replaced by its actual value when the report is executed.

Viewing and working with schedules

A report may have one or more schedules setup. Schedule list is displayed when

you click with on a report that has one or more schedules already setup.

Schee	Schedule Job List : Demo HCFA Form Report - Preprinted Forms								
Sr.No.	Na	me		\mathbf{e}	Status	Frequency	Last Run Time	Last Run Result	Next Run Time
1	 We 	ekly_Der	no HCFA Form	Report - Preprinted Forms_for_Admin	Scheduled	Weekly			5/9/10 12:00 AN
2	2 Once_Demo HCFA Form Report - Preprinted Forms_for_Admin			Completed		4/29/10 3:58 PM	Success		
Figu	-igure 31: Quick schedules list								

This page displays jobs set for this report. For each job, the following details can be listed:

- Name: The name given to a job.
- **Status:** Running if the time span of the job is not over. Completed if the time span of the job is completed. Error if the job started but could not be completed successfully. Suspended if the job is marked as suspended.
- Frequency: Frequency of occurrence of the schedule.
- Last Run Time: The time when the report was run last time.
- Last Run Result: The outcome of last run of the job. Success, if report was generated successfully. Error, if report could not be generated.
- Next Run Time: The time when the job will be run next.

Note: If a job that is set to delete after execution will automatically removed from the list after its execution.

Add or remove columns in the list

By adding or removing columns you may list only the columns that you need.

Right-click on title-bar to open a context-menu. Context-menu has checkboxes of columns that can be displayed. Check name of the column to display and clear the column that you don't want to display. The columns will be instantly added / removed from the view.

To close the context-menu, click anywhere on the title-bar.

Sorting the list

It is quicker to find the desired item if the reference is sorted. To sort the list by a column, click its column-title. The list will be sorted in ascending order of the column. Look for an arrow icon on the right edge of the column. It indicates current sort order. Click the column once more to sort the list in opposite order. Clicking another column's title will sort the list in ascending order of that column.

Operations on selected Job

To create a new job from scratch, click 📌 toolbutton. Job Details page will open up where you need to fill in the details.

To modify the selected Job, you may also click Modify button from the toolbar. Details of the selected page will be opened on Job Details where you can make changes and save the modified job.

To delete the job, click Delete 🗡 bu

button from the toolbar.

Note: If you delete a job that is currently being executed, it will continue to execute.

Click by to open Job Execution Status page and view chart depicting Status Analysis of Jobs.

These schedules are your private schedules.

Published reports

To get a list of published reports,

Click Navigation > Reports > Published Reports



Figure 32: Getting a list of Published Reports from Navigation menu

Click Repository > Navigate to the desired folder > Saved Reports



Figure 33: Getting list of saved reports (published reports) in a folder (from Repository Menu)

If you have a Favorite folder, click Favorites > Navigate to desired folder > Saved Reports.



Figure 34: Getting list of saved reports (published reports) in a folder (from Favorite Menu)

Published reports page

Use this page to get a list of published reports. You can select a published report and view report output. You can also view comments given on the

published report as well as delete it. If a report needs to be approved before it is published, then from this page, you can approve, comment or reject the report.

You can filter the published report list by Published name, date range of publishing and report name.

Setting Filters

In **Select Owner**, specify *Organization* and *User name* that published the report. By default, a super administrator can list all self-published reports and publicreports published by others.

S Filters Published I	lame Includes [] Report Nan	ne [(All)]/[(All)]				
Published Name Includes]			
Updated Between	M/d/yy	and M/d/yy				
Select Report	(Root)	Por to	🔲 Orphan			
Select Owner	Intellica 🗸	Admin 💌	Private Owned By	Selected User 💌 Public Owned By All 💌		
Search						

Figure 35: Filters that can be set on All Published reports page

In **Private Owned By**, select *None* to not view any of the published privatereports, select *Selected User* to view selected user's published private-reports, select *Selected Org* to view published private-reports of users belonging to the selected organization (in **Select Owner**) and *ALL* to view published privatereports owned by all the users.

In **Public Owned By**, select *None* to not view any published public-reports, select *Selected User* to view selected user's published public-reports, select *Selected Org* to view published public-reports of users belonging to the selected organization (in **Select Owner**) and *ALL* to view published public-reports owned by all the users.

By Published name

When a report is published, it is saved on report server. User can specify a name at the time of publishing a report. For example, a report "Customer Order" can be published by name "Customer Order December 2009".

In **Published Name Includes**, specify one or more characters from the published name. For example "dec". Click **Search** button.

By Updated dates

You can filter the list by report's publish dates. To filter the lists by date range, specify "from date" in the box after **Updated Between** and specify "to date" in the box after 'and'.

To list reports that were published a date onwards, specify a date in the box before 'and' and keep the box after 'and' blank. To list reports that were published up to a date, keep the box before 'and' blank and specify a date in the box after 'and'. Click **Search** button.

Note: Refer to online help for explanation of format codes appearing in date field.

By Report Name

You can filter the list by report name. In **Select Report**, open the object selector by clicking and navigate to the folder where desired report is deployed. Double-click the report to select it and close the object selector. Click **Search** button.

Orphan

Select (Orphan) to list published reports whose layout (report) does not exist (deleted).

Tasks you can perform on this page

To view report output, click **View** button. A menu having all the allowed output types will open. Click the icon representing the desired output type. Change View Options if needed and click **OK** on **View Options** dialog.

To delete the published report, click \bigwedge button. The selected report will be deleted.

To view the comments that users have given for the report, click 📟 button.

Click Links()



to generate a link of a report.

Intellicus reports were available to the Intellicus users only. Now a non Intellicus user can also view the Intellicus reports. A Intellicus user can mail the report to the non-Intellicus user by generating it as a link enabling a non Intellicus user to view the Intellicus reports. The report which can be linked is either an approved published report or a report outside the approval process.

Entit	ty Li	nks : HCFA						?
🗢 Filte	ers	Report Name (Root)	Saved Report(s) adivya/	HCFA User [Intellica/	/Admin]			
Select F	Repor	t: (Root)	E.	Saved Report(s):	adivya/HCF	FA		°€.
Select 0	Owne	Intellica	Admin	*	Owned By	Selecte	d User 💌	
				Search				
+.,								
Sr.No.		Resource ID	Resource URL		Expiry Tim	ie	Owner	
1	0	904B6C47-BCE8-019F- B614-A6D6F7A8BEA6	http://192.168.33.80:8 RESOURCE_ID=904B B614-A6D6F7A8BEA6	6C47-BCE8-019F-	R Never		Intellica/Admin	
2	0	A577B32B-E2B4-B8E7- 78B0-FEEFB307B200	http://192.168.33.80:80 RESOURCE_ID=A577 7880-FEEFB307B200	B32B-E2B4-B8E7-	R Never		Intellica/Admin	

Figure 36: Filters that can be set on entity links page

The Entity_Links screen is available to Super Administrators, Organization Administrators and a user with system privilege of Generate Links. A normal user with system privilege of view published reports can view the links but cannot update, delete or create a link. Using Entity_Links you can either add a new link on a saved report or you can edit or delete the existing link on saved report.

You can also filter the existing links attached to a report. The filter can be applied on the following:

Select Report: You can select the report name placed in a category of which you want to view the linked report. You can navigate to the report by using object selector. Click Here to know more about object selector. You can also leave the Select Report option with its default value "Root" and provide some other criteria.

Saved Report(s): You can select the Saved Report placed in a category. You can navigate to the report by using object selector. Click Here to know more about object selector. You can also leave the Saved Report(s) option with its default value "Root" and provide some other criteria.

Select Owner: You can specify the Organization and User name who owns the job. For a normal user Select Owner is disabled with already selected values as organization name and user name.

Owned By: You can select Selected User to view the selected user's linked reports. You can select Selected Org to view linked reports of users belonging to the selected organization (in Select Owner) and ALL to view linked reports of all the users.

Search: Click search button to view the linked reports are specifying the filter criteria.

Steps to generate a link:

- 1. Select a published report.
- The options when you click on radio button will also have "Links()" along with View, Show comments and Delete.
- 3. Click the Links() icon.
- 4. A new window would be displayed called "Entity_Links".
- 5. Click on crosshair to add a new link. Fill in the details and click Generate.

Generate Entity Links

Link over: H	ICFA	2
Link Options View Output in	Copy Resource URL	<u> </u>
Access Code	(Optional)	
(Use this code	for viewing this link)	-
Details of Saved	d Report	
Resource Name:	: HCFA	
Generated On:	10/12/10 12:17 PM	
Valid Upto:	Never	
	Generate Cancel	
		\sim

Figure 37: Steps to Generate Link

Link Options

View Output in: Select the output format in which you want the report to be viewable. The default value of output format is HTML. Other available formats are, Acrobat Pdf, Comma Separated, Text, Ms Word, Ms Excel.

Access Code: You can mention a access code while creating a link. The access code has to be provided by the user who accesses the link. If wrong access code is provided then report will not be available for viewing. This is optional step.



Figure 38: Link Options

Details of Saved Report

Resource Name: The name of the saved report from which link is created.

Generated On: The generated date and time of the saved report.

Valid Upto: The validity of the saved report. After the validity is over the saved report will cease to exit. While creating a saved report you can specify the expiry date and time of the report.

- Link Ontions	Copy Resource URL
 Details of Saved Report 	
Resource Name: HCFA	
Generated On: 10/12/10 12:17 PM	ional)
Valid Upto: Never	V
C Details of Saved Report	
Resource Name: HCFA	
Generated On: 10/12/10 12:17 PM	
Valid Upto: Never	
	Generate Cancel

Figure 39: Details of Saved Report

Copy Resource URL

When you click on **Generate** button, a url will be formed. The url has to be shared with the non intellicus users so that they can view the report.

It is advisable to mention the correct IP and port of report server machine since the same will be used at the time of generating the url. <u>http://192.168.33:91:8081/intellicus/viewResource?RESOURCE_ID=31384AA0-6901-000C-0D0B-C1F0B4C69052</u>

	http://192 rce?RES	esource URL 168.33.80:8081/intellicus6/viewResou OURCE_ID=904B6C47-BCE8-019F- D6F7A8BEA6
Link Options View Output in HTML ♥ Access Code 1111 (Use this code for viewing this lin] (Optional) hk)	Copy Resource URL http://192.168.33.80:8081/intellicus6/viewResou rce?RESOURCE_ID=904B6C47-BCE8-019F- B614-A6D6F7A8BEA6
Details of Saved Report Resource Name: HCFA Generated On: 10/12/10 12:17 F Valid Upto: Never		Cancel

Figure 40: Copy Resource URL

Generate Button

The generate button is used to create a url which will be shared with the non intellicus users so that they can view the report. After generating the url you will view a message "Successfully added entity link".

When you click in Generate button and a url is successfully created, then the Generate Button is replaced with **Update** button. You can update the "Access Code" and the "View Output in".

Cancel: Cancel button is to cancel the action or to close the screen.

To work on report approval

To work on approvals for a report, you need to open the report and view it in HTML. Using Comments related icons on HTML Toolbar, you can work on report approvals.

Depending on the assignment type, you can approve the report for publishing, reject the report or provide your approval process comments for the report.

My Reports page

This page has following tabs:

- **Recent Reports:** It lists the reports that have been published recently. The number of reports listed in this tab depends on personal preferences that you have set.
- **Pending Reports:** It lists the reports that are pending for approval process.
- **Report Execution Status:** It lists status of reports that were run "in background" mode.

Recent Reports

The reports that you have recently run are listed on **Recent Report List** tab. To get recent report list, click Reports > [My Reports] > Recent Reports tab.

Recer	nt Reports		
Sr.No.	Report Name	Category Name	Time Stamp
1 C) Demo Sales Data - Ranking on Summary	Demo	1/28/10 2:37 PM
2 C) Demo Performance of Sales Force - Zoomable Line Chart	Demo	1/28/10 2:37 PM
3 C) Demo An Interactive Product Sales Summary - Chart and Grid	Demo	1/28/10 2:36 PM
4 C) Demo Sales Achievement - GaugeChart	Demo	1/27/10 2:19 PM

Figure 41: Recent Reports on Report Listing page

It contains list of reports that you recently executed. In addition to the report name, the each row has Category where the report is deployed and the time when the report was executed (time stamp).

You can run or re-run a report from here. To do this, click the option button on the left of the report. A toolbar will be displayed.

Click **Run** when you want to execute a report with preferences other than those set during report deployment (for example, report output format).

When you need to re-run a report having multiple parameters, click **Re Run**

(available if configured). This will open Input Parameter Form with values

provided during previous run. You may continue using the same values or change if desired.

Pending Reports

This tab lists the reports

- That are yet to undergo approval process and
- For which you are one of the approvers or commenter.

For each pending report, it lists

- File Name (The name by which report was published)
- Generated by
- Generated Time
- Expiry time
- Approval status

Pending Reports						
File Name	Generated By	Generated Time	Expiry Time	View	Pending Operations	
Report Name: Demo Sales Achievem	ent - GaugeChart Category: Demo		Approval Process Name: Approvals			
	🗃 Admin	1/28/10 3:57 PM	Never	@] -	PUBLISH	

Figure 42: Pending reports

For every pending report layout (file name), its report name (the name specified at the time of publish), category in which layout was deployed and associated approval process name is specified.

Depending on the assignment type, you can approve the report for publishing, reject the report or provide your approval process comments for the report. You can also view the approval process comments and view the report output in any of the available report outputs types.

Pending Operations

This column has the report output operations that are pending because the report is not approved.

For steps of approval refer to chapter **Running Reports**, topic **View Published Report**, sub-topic <u>Approval Process</u>.

Report Execution Status

This page lists reports that are being executed or are already executed. When the page opens, it lists reports you executed today. The latest report which is executed, will have Recent mark on left of the report name. List contains following details:

- Report Name
- Action (like view, save, email, etc)
- Execution Type
- Status
- Completion Time
- Pages. Pages generated till that moment.

Reports > My	y Reports					?		
Recent Report	Recent Reports							
Pending Report	Pending Reports							
 Report Execut 	tion Status							
S Filters	Category Name [(All)] Report Name [(All)] Exe	ecution Type [[(All)] Status [(All)] User [Intellica/Ad	imin]				
Select Report(s)	(Root)	B .	Execution Type (All)	*	Status (AII)	*		
Select Owner	Intellica 🗸 Admin	~	Private Owned By Selected Use	er 💌	Public Owned By All	*		
Date From	1/28/10 To 1/28/10							
			Refresh					
Sr.No.	Report Name	Action	Execution Type	Status	Completion Date			
1 🔿 📧	Demo/Demo Sales Achievement - GaugeChart	SAVE	Schedule	Success	1/28/10 3:41 PM			

Figure 43: Report Execution Status tab

Viewing report output

To view output of a report, select a report by clicking option button in corresponding row and then click the tool-button from toolbar.

Toolbar's availability depends on configuration. If toolbar is not available, it will be displayed when you select a report by clicking the option button. To select and initiate an action, point and click the mouse pointer on the corresponding toolbar icon.

The toolbar can be moved, if it is configured to do so. To move the toolbar anywhere on report list, click on the center of the toolbar header and drag. To close the toolbar, Close button on top right of the bar.

Applying filters

To filter the list entries, apply any of the below filters, and click **Refresh** button.

- Select Report(s): You may select a report or a folder. Click to open Object Selector window. Refer to online help for more information on Object Selector window.
- **Execution Type:** Select *Run* for reports that were executed through direct run from report list page, *Schedule* for the reports executed through scheduled execution, *Run In Background* for the report which were run in background and (*All*) for reports executed through any type.
- **Status:** Select *Running* for reports that are still being executed, select *Completed* for the reports that are executed.
- **Date From** and **To:** Date range within which report execution was started. Refer to the online help for explanation of date formats.
- **User:** Select organization and user who executed the report. (Only for Super administrators).

Filtered list contains following details:

- View. A dropdown box, to select output type to view the report.
- Report Name
- Action
- Execution Type
- Status
- Generated Time
- Pages. Pages generated till that moment.
- Cancel. This column will have Cancel button when report is being generated.
- Delete. Click this button to delete that report.
- To stop execution of a report
- If a report is currently being executed, Cancel column will display Cancel icon. Click this icon to cancel the execution of the report.